

● = auf Lager / in stock ○ = in Fertigung / in production	1.8161 • 58CrV4 +AC+C Rund / round gezogen / cold drawn Tol. h9 Stablänge / bar length: 3 m angefast / chamfered ($\geq 6 \varnothing$)	1.2243 • 61CrSiV5 +AC+C+A+C Rund / round gezogen / cold drawn Tol. h9 Stablänge / bar length: 3 m angefast / chamfered ($> 6 \varnothing$)	1.2381 • 73MoV5.2 +AC+C+A+C Rund / round gezogen / cold drawn Tol. h9 Stablänge / bar length: 3 m angefast / chamfered ($\geq 6 \varnothing$)
Abmessung / Dia			
3 Ø	○		○
3,5 Ø	●		○
4 Ø	●		○
4,5 Ø	○		○
5 Ø	●		●
5,5 Ø		●	
6 Ø	●		
6,5 Ø	●		
7 Ø	●		○
8 Ø	●		
8,5 Ø	●		
9 Ø			○
10 Ø	○		
11 Ø	○		○
12 Ø	●		○
13 Ø	●		
14 Ø	●		
15 Ø	●		
16 Ø	●		○
17 Ø			
18 Ø	○		
19 Ø	○		○
20 Ø			
21 Ø	○		
22 Ø	○		
24 Ø	○		
25 Ø	○		○
26 Ø	○		
27 Ø	○		
28 Ø	○		○
30 Ø	○		
32 Ø			
35 Ø	○		

● = auf Lager / in stock ○ = in Fertigung / in production	1.8161 • 58CrV4 +AC+C Sechskant / hexagon gezogen / cold drawn Tol. h11 Stablänge / bar length: 3 m angefast / chamfered ($\geq$ SW 6)	1.2243 • 61CrSiV5 +AC+C+A+C Sechskant / hexagon gezogen / cold drawn Tol. h11 Stablänge / bar length: 3 m angefast / chamfered ($>$ SW 6)	1.2381 • 73MoV5.2 +AC+C+A+C Sechskant / hexagon gezogen / cold drawn Tol. h11 Stablänge / bar length: 3 m angefast / chamfered ($>$ SW 6)
Abm. SW / hex			
SW 4	○		○
SW 5	○		○
SW 6	○		○
SW 6,35	○		○
SW 7	○		○
SW 7,93	○	○	○
SW 8	○		○
SW 9	○		
SW 9,52	○		○
SW 10	○		○
SW 11,11	○		
SW 12	○		○
SW 12,7	○		
SW 13	○		
SW 14	○		○
SW 15,88	○		
SW 16	○		
SW 17	○		
SW 19	○		
SW 22	○		
SW 22,23			
SW 24	○		
SW 25,4			
SW 27	○		
SW 30			
SW 32			
SW 36			

1.8161 • 58CrV4 +AC+C Achtkant / octagon gezogen / cold drawn Tol. h11 Stablänge / bar length: 4 m angefast / chamfered	
Abm. / Size	
8 mm 8-kt	○
10 mm 8-kt	○
12 mm 8-kt	○
14 mm 8-kt	○
16 mm 8-kt	○
18 mm 8-kt	●
20 mm 8-kt	○
22 mm 8-kt	○

1.2242 • 59CrV4 +AC+C+A+C Flachoval / flatoval gezogen / cold drawn Stablänge / bar length: 4 m nicht angefast / not chamfered	
Abm. / Size	
14x9 R5,5	○
17x11 R6,5	○
20x12 R7	○
23x13 R7,5	○
26x7 R4,5	○
26x13 R7,5	○

1.0503 • C45 warmgewalzt / hotrolled Flachoval / flatoval Stablänge / bar length: 4 m nicht angefast / not chamfered	
Abm. / Size	
20x12 R6	●
23x13 R6,5	●
26x13 R6,5	○

● = auf Lager / in stock

○ = in Fertigung / in production

1.7227 • 42CrMoS4 +A+C/SH Rund / round gezogen/cold drawn ● geschält/peeled Tol. h9 Stablänge / bar length: 3 m angefast / chamfered	
Abm. / Size	
20 Ø	●
24 Ø	●
25 Ø	○
26 Ø	○
27 Ø	○
28 Ø	○
30 Ø	○
32 Ø	○
34 Ø	○
35 Ø	○
36 Ø	○
48 Ø	○
50 Ø	○
55 Ø	○
60 Ø	○
65 Ø	○
70 Ø	○
90 Ø	○

1.3505 • 100Cr6 +AC+C Rund / round gezogen / cold drawn Tol. h9 Stablänge / bar length: 3 m angefast / chamfered (> 6 Ø)	
Abm. / Size	
4,15 Ø	●
5,15 Ø	●
6,15 Ø	○
10,15 Ø	●
14,15 Ø	●
16,15 Ø	●
22,00 Ø	○
25,15 Ø	○

● = auf Lager / in stock

○ = in Fertigung / in production