


Beautiful. Durable. Structural.







DYNAMIC SOLUTIONS INNOVATION

Since 1984, Digger Specialties, Inc. (DSI) has manufactured quality products for the outdoor living industry.

DSI is constantly improving and innovating to bring better products to the marketplace.

Composite and Fiberglass Columns are available in three different finishes to meet your installation and design needs.

- Mill Finish This standard column comes ready for finishing and painting.
- Caulk-N-Walk This column is ready to install, just caulk and walk away.
- Pre-Finished Architectural Coated - This column provides both beauty and durability and saves installation time.

All Composite and Fiberglass Column products feature heavy duty packaging to resist transit and jobsite damage and are backed by a Lifetime Limited Warranty. DSI offers the first Pre-Finished Architectural Coated Column Warranty in the industry.



DSI Columns® offer quality craftsmanship, impeccable design, and integrated architectural elements to deliver an elegant and low-maintenance, long lasting column.

Composite and Fiberglass Columns are available in a broad selection of sizes, models, and load-bearing capacities to meet most project applications.

Table of Contents

| Column Types | 2 |
|--------------------------------|-------|
| Column Finishes | 3 |
| Column Installation | |
| Column Cuts | 5 |
| Fiberglass Square Columns | 6-7 |
| Composite Square Columns | 8-10 |
| Square Capitals and Bases | 11 |
| Composite Round Columns | 12-14 |
| Round Capitals and Bases | 15-17 |
| Craftsman Columns | 18-19 |
| Technical Data and Packaging | 20 |
| Installation Kits and Hardware | 21 |



COMPOSITE

DSI manufactures all of our composite columns, capitals, and bases at our North Carolina facility. These columns are made using calcium carbonate (marble dust), polyester resin and other ingredients for optimum beauty, realism, and resilience. Engineered for lasting durability and structural integrity, our products will stand up to the harshest elements and continue to add beauty and elegance for years to come.

Key Features:

- A broad selection of models and sizes
- Perfect for both interior and exterior installations
- Uses the best raw materials and state-of-theart equipment available
- A consistent smooth finish that requires minimal sanding
- Load bearing, durable, and low maintenance

FIBERGLASS

Our lightweight fiberglass Herculite Columns are made using an advanced pultruded technology. Herculite Square Smooth Columns provide a strong and lightweight option for your column needs.

Key Features:

- Price comparable to site built
- 1 hour installation versus 3 hours site built installation
- Load bearing, lightweight, and easy to install
- Patented Snug-Fit® Capitals
- Tough sidewalls providing impact resistance

FINISHES

MILL FINISH

Mill is the standard finish for all DSI Composite and Fiberglass Columns. This finish allows you to choose your color and paint gloss level. These columns require prep (sanding, fill, and cleaning) prior to job site painting.

Key Features:

- Allows customization of colors to match your style
- Industry standard for column finish

CAULK-N-WALK®

Caulk-N-Walk Columns eliminate the need to prep and paint select sizes of our Round Smooth Tapered Columns. Columns are prepped and ready for installation or to be painted if you desire. Caulk-N-Walk Seamless Columns take column installation to the next level. No more parting lines to sand or fix with body putty.

Kev Features:

- The first white seamless column system. The color runs all the way through the column.
- Column produced with titanium dioxide (TiO₂).
- No painting needed
- Round Tapered Columns
- Matching Caulk-N-Walk Capital and Base

PRE-FINISHED ARCHITECTURAL COATED

Pre-Finished Architectural Coated Columns are created using an innovative state of the art coating process. This distinctive and exclusive ready to install column, including coated capital and base, eliminates the need for onsite prep and painting.

Key Features:

- DSI Elite White factory sprayed finish
- Ready to install Pre-Finished Column
- Coated Finish Warranty (AAMA 2604)
- Saves installation time
- Available for all Composite and Fiberglass Columns

INSTALLATION

PLUMB PERFECT®

The First All-In-One Box Column Installation System

Digger Specialties, Inc. takes a common sense approach to removing the hassles associated with installing a column. The Plumb Perfect® Column Installation System will guide you through the installation process to project completion, while saving you valuable time and money.

Key Features:

- Eliminates outside installation hardware
- Eliminates finish work on screw heads by concealing all installation devices
- No more searching for parts
- Base target assists in positioning base ring and column



Available for **select** models and sizes. Please see individual model charts for availability.

Additional installation hardware available. See page 21 for more information.

CUTS

SPLIT-FIT®

Traditional split columns can be difficult to reassemble on-site and require multiple leveling and alignment adjustments to realign the two halves.

Our unique cast indexing keys make aligning the column halves a simple process, saving you valuable time — virtually eliminating the frustration of split column installation.







Patent # US 8,234,837 B2

Key Features:

- Factory assembled aligning keys restrict lateral & vertical play
- Fully split columns arrive ready to install
- Precision diamond cut line is easy to finish
- Patented Tongue & Groove fit assures snug installation
- Optional Reassembly Kits available (See page 21 and ask your supplier for details)

PILASTER

For those special projects that may need a unique pilaster column, DSI has the ability to meet your specifications.


Pilaster Cuts






The graphic below shows the many custom cut types available for splitting your column. Custom Cuts are special order and customized to your needs (standard DSI lead times do not apply to special orders).

Custom Cuts





Fiberglass Pultruded Columns (Herculite) offer a lightweight alternative to composite (cast) columns. Square Smooth Herculite columns are designed with advanced technology to produce load bearing columns.



Herculite Square Smooth Pultruded Columns

| Column Outside Inside Size Dimension (A) Dimension | Material Thickness |
|---|-----------------------|
| 6" x 8' 5 1/2" 5" | 1/8" |
| 6" x 9' 5 1/2" 5" | 1/8" |
| 6" x 10' 5 1/2" 5" | 1/8" |
| 6" x 12' 5 1/2" 5" | 1/8" |
| 8" x 8' 7 1/2" 7" | 1/8" |
| 8" x 9' 7 1/2" 7" | 1/8" |
| 8" x 10' 7 1/2" 7" | 1/8" |
| 8" x 12' 7 1/2" 7" | 1/8" |
| 10" x 8' 9 1/2" 9" | 1/8" |
| 10" x 9' 9 1/2" 9" | 1/8" |
| 10" x 10' 9 1/2" 9" | 1/8" |
| 10" x 12' 9 1/2" 9" | 1/8" |
| 12" x 8' 11 1/2" 11" | 1/8" |
| 12" x 9' 11 1/2" 11" | 1/8" |
| 12" x 10' 11 1/2" 11" | 1/8" |
| 12" x 12' 11 1/2" 11" | 1/8" |








The DSI Square Column eliminates hours of labor associated with site-built columns while adding crisp, clean lines and architectural aesthetics.


Square Columns are available in smooth, fluted, recessed panel, and our unique recessed panel pedestal design.



Square Smooth Columns

| _ | | | | |
|---|----------------|--------------------------|---------------------|-----------------------|
| | Column Size | Outside Dimension (A) | Inside Dimension | Material Thickness |
| | 6" x 8' | 5 1/2" | 4 1/2" | 1/2" |
| | 6" x 9' | 5 1/2" | 4 1/2" | 1/2" |
| | 8" x 8' | 7 1/2" | 6 3/4" | 3/8" |
| | 8" x 9' | 7 1/2" | 6 3/4" | 3/8" |
| | 8" x 10' | 7 1/2" | 6 3/4" | 3/8" |
| | 10" x 8' | 9 1/2" | 8 3/8" | 3/8" |
| | 10" x 9' | 9 1/2" | 8 3/8" | 3/8" |
| | 10" x 10' | 9 1/2" | 8 3/8" | 3/8" |
| | 12" x 8' | 11 1/2" | 10 1/2" | 1/2" |
| | 12" x 9' | 11 1/2" | 10 1/2" | 1/2" |
| | 12" x 10' | 11 1/2" | 10 1/2" | 1/2" |
| | 12" x 12' | 11 1/2" | 10 1/2" | 1/2" |
| | 14" x 8' | 13 7/8" | 13 1/8" | 3/8" |
| | 14" x 9' | 13 7/8" | 13 1/8" | 3/8" |
| | 14" x 10' | 13 7/8" | 13 1/8" | 3/8" |
| | 14" x 12' | 13 7/8" | 13 1/8" | 3/8" |
| | | | | |

Square Fluted Columns




| 1 | Column Size | Outside Dimension (A) | Top Inside Dimension | Bottom Inside Dimension | Material Thickness | Design from Top (T) and from Bottom (B) |
|---|----------------|-----------------------------|-------------------------|-------------------------------|-----------------------|--|
| | 8" x 8' | 7 1/2" | 5 13/16" | 5 11/16" | 3/8" | T = 8 9/16", B = 12" |
| | 8" x 9' | 7 1/2" | 5 13/16" | 6 9/16" | 3/8" | T = 8 9/16", B = 8 15/16" |
| | 8" x 10' | 7 1/2" | 5 13/16" | 6 9/16" | 3/8" | T = 8 9/16", B = 20 15/16" |
| | 10" x 8' | 9 1/2" | 7 11/16" | 7 11/16" | 3/8" | T = 9 1/4", B = 15 1/2" |
| | 10" x 9' | 9 1/2" | 7 3/4" | 7 11/16" | 3/8" | T = 9 3/16", B = 6 1/16" |
| | 10" x 10' | 9 1/2" | 7 3/4" | 7 11/16" | 3/8" | T = 9 3/16", B = 18 1/16" |
| | 12" x 9' | 11 5/8" | 10 3/16" | 10 3/16" | 3/8" | T = 9 7/8", B = 9" |
| | 12" x 10' | 11 5/8" | 10 3/16" | 10 3/16" | 3/8" | T = 9 7/8", B = 21 |
| | 12" x 12' | 11 5/8" | 10 3/16" | 10 3/16" | 3/8" | T = 9 7/8", B = 45" |

Key: ■ Mill Finish ■ Caulk-N-Walk* ■ Pre-Finished ■ Plumb Perfect* (kit included) ■ Plumb Perfect* (kit sold separately) ■ Split-Fit* ■ Pilaster
 ■ Column, Capital, Astragal and Base all in one box
 ■ Seamless Column, except for Split-Fit*
 ■ Snug-Fit Capital

Load Bearing: Visit dsicolumns.com for testing information

SQUARE COLUMNS




- Outside Dimension
- Buttom

 Bottom
- T Design from Top

Astragal Position Determined by Customer

Square Recessed Panel Columns

| Column Size | Outside Dimension (A) | Top Inside Dimension | Bottom Inside Dimension | Material Thickness | Design from Top (T) and from Bottom(B) |
|----------------|-----------------------------|-------------------------|-------------------------------|-----------------------|---|
| 8" x 8' | 7 1/2" | 5 3/4" | 5 13/16" | 3/8" | T = 8 7/16", B = 10 1/8" |
| 8" x 9' | 7 1/2" | 6 1/2" | 5 13/16" | 3/8" | T = 8 3/8", B = 8 5/8" |
| 8" x 10' | 7 1/2" | 5 7/8" | 6 11/16" | 3/8" | T = 8 3/8", B = 20 5/8" |
| 10" x 8' | 9 1/2" | 7 5/8" | 8 9/16" | 3/8" | T = 10 1/16", B = 16 1/8" |
| 10" x 9' | 9 1/2" | 7 11/16" | 8 11/16" | 3/8" | T = 10", B = 8 11/16" |
| 10" x 10' | 9 1/2" | 7 11/16" | 8 5/8" | 3/8" | T = 10", B = 20 11/16" |
| 12" x 8' | 11 1/2" | 10" | 10 9/16" | 3/8" | T = 10 1/2", B = 5 15/16" |
| 12" x 9' | 11 1/2" | 10" | 10 1/2" | 3/8" | T = 9 13/16", B = 6 3/16" |
| 12" x 10' | 11 1/2" | 10" | 10 1/2" | 3/8" | T = 9 13/16", B = 18 3/16" |



Square Recessed Panel Pedestal Columns

| _ | Column Size | Top Outside Dimension(A) | Bottom Outside Dimension (B) | Pedestal Height (C) | |
|---|----------------|-----------------------------|---------------------------------|------------------------|--|
| | 10" x 8' | 7 1/2" | 8 5/8" | 41" | |
| | 10" x 9' | 7 1/2" | 8 5/8" | 41" | |
| | 10" x 10' | 7 1/2" | 8 5/8" | 41" | |

Note: Base is part of the pedestal

Key: ■ Mill Finish ■ Caulk-N-Walk* ■ Pre-Finished ■ Plumb Perfect* (kit included) ■ Plumb Perfect* (kit sold separately) ■ Split-Fit* ■ Pilaster
 ■ Column, Capital, Astragal and Base all in one box
 ■ Seamless Column, except for Split-Fit*
 ■ Snug-Fit Capital

SQUARE CAPITALS & BASES

Capitals and bases provide a finishing touch to your column. The standard capital and base set for square columns is the Tuscanstyle.

DSI's Tuscan capitals for square columns are made from Polyurethane. Most sizes of our Tuscan capitals are made utilizing a patented process to create a Snug-Fit capital. The Polyurethane capital is created with a foam ring for a snug-fit. This capital eliminates the need to purchase a backer rod to close the gap that can occur between the column shaft and the capital. Snug-Fit capitals do not require pilot holes.

The Tuscan base is made from the same material as the column to protect both the base and column from dents and other damage. An optional Alto-style base is also available for square columns.









Square Polyurethane Tuscan Capitals

| _ | Capital Size | Width | Height | Inside Dimension | Diagonal | |
|---|-----------------|---------|--------|---------------------|----------|--|
| | 6" | 8 1/16" | 2 1/2" | 5 5/8" | 11 3/8" | |
| | 8" | 11" | 2 3/4" | 7 3/4" | 15 3/8" | |
| | 10" | 13 5/8" | 3 3/8" | 9 5/8" | 19 1/8" | |
| | 12" | 15 5/8" | 3 1/2" | 11 11/16" | 22" | |
| | 14" | 18 1/4" | 4" | 14 1/16" | 25 3/4" | |

Square Tuscan Bases

| _ | Base Size | Width | Height | Inside Dimension | Diagonal |
|---|--------------|---------|--------|---------------------|----------|
| | 6" | 8 1/8" | 3 7/8" | 5 11/16" | 11 5/8" |
| | 8" | 10 1/4" | 4" | 7 5/8" | 14 1/4" |
| | 10" | 13" | 5 1/8" | 9 5/8" | 18 3/8" |
| | 12" | 15 1/8" | 5" | 11 3/4" | 21 1/16" |
| | 14" | 17 7/8" | 5 3/4" | 14" | 25 1/4" |

Knock-Out Square Tuscan Bases

| Base Size | Width | Height | Inside Dimension | Diagonal |
|--------------|---------|--------|---------------------|----------|
| 6" | 8 1/8" | 3 7/8" | 5 11/16" | 11 5/8" |
| 8" | 10 1/4" | 4" | 7 5/8" | 14 1/4" |
| 10" | 13" | 5 1/8" | 9 5/8" | 18 3/8" |
| 12" | 15 1/8" | 5" | 11 3/4" | 21 1/16" |

Square Alto Bases

| - | Base Size | Width | Height | Inside Dimension | Diagonal |
|---|--------------|---------|--------|---------------------|----------|
| | 6" | 7 3/8" | 5 5/8" | 6" | 10 1/4" |
| | 8" | 9 3/4" | 7 1/4" | 7 3/4" | 13 3/4" |
| | 10" | 11 1/2" | 8 1/2" | 9 5/8" | 16 1/4" |
| | 12" | 13 1/2" | 9 3/4" | 11 7/8" | 19 1/8" |

- Key: Mill Finish Caulk-N-Walk* Pre-Finished Plumb Perfect* (kit included) Plumb Perfect* (kit sold separately) Split-Fit* Pilaster
 - Column, Capital, Astragal and Base all in one box
 - Seamless Column, except for Split-Fit*
- Column, Capital and Base all in one box
- ▲ Snug-Fit Capital

Patent # US 8,424,259 B2



COMPOSITE COLUMNS



Tuscan Columns are one of the most recognizable architectural elements in the world. From the historical cities of Europe to the cities and towns of the United States, these columns and their elegant style are celebrated by architects the world over.

Round Smooth Tapered

| of the most recognizable | - | - a.:. | | Bottom | 5." | _ | | N. 1 |
|---|------------------------|--------------------------------|------------------------|-------------------------------|------------------------------|-------------------------|-----------------------|----------------------------|
| architectural elements | Column Size | Top Outside Diameter (A) | Top Inside Diameter | Outside Diameter (B) | Bottom Inside Diameter | Taper from Bottom | Material Thickness | Neck Ring Height (C) |
| in the world. From the | 6" x 8' | 5 1/8" | 4 3/8" | 6" | 5 1/4" | 45" | 3/8" | 4" |
| historical cities of Europe | 8" x 5' | 6 1/8" | 5 3/8" | 7 5/8" | 6 7/8" | 15" | 3/8" | 5" |
| · | 8" x 6' | 6 1/8" | 5 3/8" | 7 5/8" | 6 7/8" | 27" | 3/8" | 5" |
| to the cities and towns | 8" x 8' 8" x 9' | 6 1/8" 6 1/8" | 5 3/8" 5 3/8" | 7 5/8" 7 5/8" | 6 7/8" 6 7/8" | 31" 26" | 3/8" 3/8" | 5" 5" |
| of the United States, | 8" x 10' | 6 1/8" | 5 3/8" | 7 5/8" | 6 7/8" | 38" | 3/8" | 5" |
| these columns and | 10" x 6' | 8" | 7 1/4" | 9 5/8" | 8 7/8" | 6" | 3/8" | 5 7/8" |
| | 10" x 8' | 8" | 7 1/4" | 9 5/8" | 8 7/8" | 30" | 3/8" | 5 7/8" |
| their elegant style are | 10" x 9' 10" x 10' | 8" 8" | 7 1/4" 7 1/4" | 9 5/8" 9 5/8" | 8 7/8" 8 7/8" | 24" 36" | 3/8" 3/8" | 5 7/8" 5 7/8" |
| celebrated by architects | 10" x 10" | 8" | 7 1/4" | 9 5/8" | 8 7/8" | 62" | 3/8" | 5 7/8" |
| | 12" x 6' | 9 1/2" | 8 5/8" | 11 1/2" | 10 3/4" | 8" | 3/8" | 7 3/4" |
| the world over. | 12" x 8' | 9 1/2" | 8 5/8" | 11 1/2" | 10 3/4" | 32" | 3/8" | 7 3/4" |
| | 12" x 9' | 9 1/2" | 8 3/4" | 11 1/2" | 10 3/4" | 29" | 3/8" | 7 3/4" |
| Round Columns are | 12" x 10' 12" x 12' | 9 1/2" 9 5/8" | 8 3/4" 8 7/8" | 11 1/2" 11 5/8" | 10 3/4" 10 7/8" | 41" 40" | 3/8" 3/8" | 7 3/4" 7 3/4" |
| available in smooth | 12" x 14' | 9 5/8" | 8 7/8" | 11 5/8" | 10 7/8" | 48" | 3/8" | 7 3/4" |
| | 12" x 16' | 9 5/8" | 8 7/8" | 11 5/8" | 10 7/8" | 72" | 3/8" | 7 3/4" |
| tapered and non-tapered | 14" x 8' | 12" | 11 1/4" | 13 7/8" | 13 1/8" | 22" | 3/8" | 8 1/8" |
| and fluted tapered. | 14" x 9' | 12" | 11 1/4" | 13 7/8" | 13 1/8" | 34" | 3/8" | 8 1/8" |
| | 14" x 10' 14" x 12' | 12" 12" | 11 1/4" 11 1/4" | 13 7/8" 14" | 13 1/8" 13 1/4" | 46" 26" | 3/8" 3/8" | 8 1/8" 8 1/8" |
| | 14 × 12 | 12" | 11 1/4" | 14" | 13 1/4" | 50" | 3/8" | 8 1/8" |
| î 1111 | 14" x 16' | 12" | 11 1/4" | 14" | 13 1/4" | 74" | 3/8" | 8 1/8" |
| T 1011 | 14" x 18' | 12" | 11 1/4" | 14" | 13 1/4" | 98" | 3/8" | 8 1/8" |
| 1 1 11 | 16" x 8' | 13 3/4" | 12 3/4" | 15 3/4" | 14 3/4" | 31" | 1/2" | 8 1/2" |
| 5 0 00 | 16" x 9' | 13 3/4" | 12 3/4" | 15 3/4" | 14 3/4" | 43" | 1/2" | 8 1/2" |
| # 0 °C | 16" x 10' | 13 3/4" 13 3/4" | 12 3/4" 12 3/4" | 15 3/4" 15 3/4" | 14 3/4" 14 3/4" | 55" 36" | 1/2" 1/2" | 8 1/2" 9" |
| ÷ 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | 16" x 14' | 13 3/4" | 12 3/4" | 15 3/4" | 14 3/4" | 60" | 1/2" | 9" |
| i i ii | 16" x 16' | 13 3/4" | 12 3/4" | 15 3/4" | 14 3/4" | 84" | 1/2" | 9" |
| II II II II II II II II | 16" x 18' | 13 3/4" | 12 3/4" | 15 3/4" | 14 3/4" | 108" | 1/2" | 9" |
| 1.5.55 | 18" x 8' | 15 3/8" | 14 3/8" | 17 1/4" | 16 1/4" | 12" | 1/2" | 11 5/8" |
| # 0 00 | 18" x 9' | 15 3/8" 15 3/8" | 14 3/8" 14 3/8" | 17 1/4" 17 1/4" | 16 1/4" 16 1/4" | 24" 36" | 1/2" 1/2" | 11 5/8" 11 5/8" |
| î î îî | 18" x 12' | 15 3/8" | 14 3/8" | 17 1/4" | 16 1/4" | 60" | 1/2" | 11 5/8" |
| 1 1 11 | 18" x 14' | 15 1/4" | 14 3/8" | 17 5/8" | 16 3/8" | 28" | 1/2" | 11 1/2" |
| | 18" x 16' | 15 1/4" | 14 1/4" | 17 5/8" | 16 3/8" | 60" | 1/2" | 11 1/2" |
| A | 18" x 18' | 15 1/4" | 14 1/4" | 17 5/8" | 16 3/8" | 84" | 1/2" | 11 1/2" |
| ₽ | 18" x 20' 20" x 12' | 15 1/4" 16 3/8" | 14 1/4" 15 3/8" | 17 5/8" 19 3/4" | 16 3/8" 18 3/4" | 108" 0" | 1/2" | 11 1/2" |
| | 20" x 14' | 16 3/8" | 15 3/8" | 19 3/4" | 18 3/4" | 17" | 1/2" | 10 1/8" |
| | 20" x 16' | 16 3/8" | 15 3/8" | 19 3/4" | 18 3/4" | 41" | 1/2" | 10 1/8" |
| | 20" x 18' | 16 3/8" | 15 3/8" | 19 3/4" | 18 3/4" | 65" | 1/2" | 10 1/8" |
| | 20" x 20' | 16 3/8" | 15 3/8" | 19 3/4" | 18 3/4" | 89" | 1/2" | 10 1/8" |
| | 20" x 22' 20" x 24' | 16 3/8" 16 3/8" | 15 3/8" 15 3/8" | 19 3/4" 19 3/4" | 18 3/4" 18 3/4" | 113" 137" | 1/2" 1/2" | 10 1/8" 10 1/8" |
| | 20 x 24 24" x 14' | 19 3/4" | 18 3/4" | 23 3/4" | 22 3/4" | 10" | 1/2" | 12 1/8" |
| =-B-= | 24" x 16' | 19 3/4" | 18 3/4" | 23 3/4" | 22 3/4" | 34" | 1/2" | 12 1/8" |
| A Top Outside Diameter | 24" x 18' | 19 3/4" | 18 3/4" | 23 3/4" | 22 3/4" | 58" | 1/2" | 12 1/8" |
| B Bottom Outside Diameter | 24" x 20' | 19 3/4" | 18 3/4" | 23 3/4" | 22 3/4" | 82" | 1/2" | 12 1/8" |
| C Neck Ring Height | 24" x 22' | 19 3/4" | 18 3/4" | 23 3/4" | 22 3/4" | 106" | 1/2" | 12 1/8" |
| Key: ■ Mill Finish ■ Caulk-N-Walk* ■ Pre-Finished | 24" x 24' Plumb Per | 19 3/4" fect* (kit include | 18 3/4" d) Plumb F | 23 3/4" Perfect® (kit sold | 22 3/4" separately) Sp | 130" olit-Fit® ■ P | 1/2" ilaster | 12 1/8" |



Column, Capital, Astragal and Base all in one box

Seamless Column, except for Split-Fit*


Column, Capital and Base all in one box

▲ Snug-Fit Capital

Load Bearing: Visit *dsicolumns.com* for testing information

ROUND COLUMNS


Round Fluted Tapered



| Column Size | Top Outside Diameter (A) | Top Inside Diameter | Bottom Outside Diameter (B) | Bottom Inside Diameter | Taper from Bottom | Material Thickness | Flutes from Bottom | Neck Ring Height (C) |
|----------------|-----------------------------------|------------------------|--------------------------------------|------------------------------|-------------------------|-----------------------|--------------------------|----------------------------|
| 8" x 8' | 6 1/4" | 5 1/2" | 7 3/4" | 7" | 30" | 3/8" | 11 1/2" | 5 1/4" |
| 8" x 9' | 6 1/4" | 5 1/4" | 7 5/8" | 6 7/8" | 30" | 3/8" | 12" | 5" |
| 8" x 10' | 6 1/4" | 5 1/4" | 7 5/8" | 6 1/4" | 42" | 3/8" | 12" | 5" |
| 10" x 8' | 8" | 7" | 9 1/2" | 8 5/8" | 32" | 3/8" | 14 1/4" | 5 3/4" |
| 10" x 9' | 7 5/8" | 6 1/4" | 9 3/4" | 8 3/4" | 20" | 3/8" | 10 1/2" | 6 1/4" |
| 10" x 10' | 7 5/8" | 6 1/4" | 9 3/4" | 8 3/4" | 32" | 3/8" | 22 1/2" | 6 1/4" |
| 12" x 8' | 9 5/8" | 8 7/8" | 11 7/8" | 11" | 22" | 3/8" | 15" | 7 5/8" |
| 12" x 9' | 9 5/8" | 8 7/8" | 11 7/8" | 11" | 24" | 3/8" | 9" | 7 5/8" |
| 12" x 10' | 9 5/8" | 8 7/8" | 11 7/8" | 11" | 36" | 3/8" | 16" | 7 5/8" |
| 12" x 12' | 9 1/2" | 8 1/2" | 11 3/4" | 11" | 48" | 3/8" | 22 1/2" | 7 5/8" |

Our Round Smooth Non-Tapered Columns offer a sophisticated uncomplicated look to your project.

To use Decorative
Capitals with our Round
Smooth Non-Tapered
Columns, select one size
larger capital than the
column size. Example: A
10" Non-Tapered Column
requires a 12" Roman
lonic Capital.



Round Smooth Non-Tapered

| Column Size | Outside Diameter (A) | Inside Diameter | Material Thickness | |
|----------------|----------------------------|--------------------|-----------------------|--|
| 8" x 8' | 7 5/8" | 6 7/8" | 3/8" | |
| 8" x 9' | 7 5/8" | 6 7/8" | 3/8" | |
| 8" x 10' | 7 5/8" | 6 7/8" | 3/8" | |
| 10" x 8' | 9 5/8" | 8 7/8" | 3/8" | |
| 10" x 9' | 9 5/8" | 8 7/8" | 3/8" | |
| 10" x 10' | 9 5/8" | 8 7/8" | 3/8" | |
| 10" x 12' | 9 5/8" | 8 7/8" | 3/8" | |
| 12" x 8' | 11 5/8" | 10 7/8" | 3/8" | |
| 12" x 9' | 11 5/8" | 10 7/8" | 3/8" | |
| 12" x 10' | 11 5/8" | 10 7/8" | 3/8" | |
| 12" x 12' | 11 5/8" | 10 7/8" | 3/8" | |
| 12" x 14' | 11 5/8" | 10 7/8" | 3/8" | |
| 12" x 16' | 11 5/8" | 10 7/8" | 3/8" | |
| 14" x 8' | 13 3/4" | 13" | 3/8" | |
| 14" x 9' | 13 3/4" | 13" | 3/8" | |
| 14" x 10' | 13 3/4" | 13" | 3/8" | |
| 14" x 12' | 13 3/4" | 13" | 3/8" | |
| 14" x 14' | 13 3/4" | 13" | 3/8" | |
| 14" x 16' | 13 3/4" | 13" | 3/8" | |
| 16" x 8' | 15 3/4" | 14 3/4" | 1/2" | |
| 16" x 9' | 15 3/4" | 14 3/4" | 1/2" | |
| 18" x 8' | 17 5/8" | 16 5/8" | 1/2" | |
| 18" x 9' | 17 5/8" | 16 5/8" | 1/2" | |
| 20" x 9' | 19 7/8" | 18 7/8" | 1/2" | |
| 20" x 10' | 19 7/8" | 18 7/8" | 1/2" | |
| 24" x 9' | 23 7/8" | 22 5/8" | 5/8" | |
| 24" x 10' | 23 7/8" | 22 5/8" | 5/8" | |

Key: Mill Finish Caulk-N-Walk' Pre-Finished Plumb Perfect' (kit included) Plumb Perfect' (kit included) Split-Fit' Pilaster

- Column, Capital, Astragal and Base all in one box
- Seamless Column, except for Split-Fit*
- Column, Capital and Base all in one box
- ▲ Snug-Fit Capital

ROUND CAPITALS

Our standard Tuscan Capitals are cast from the same rock hard composite material as our column shaft assuring maximum durability. Although casting capitals from this material requires extra attention to detail, we think you will agree it is worth the effort.

Most sizes of the Tuscan Tapered Capitals are made from Polyurethane. And some sizes are made utilizing a patented process to create a **Snug-Fit** Capital. The Polyurethane Capital is created with a foam ring for a snug-fit. This capital eliminates the need to purchase a backer rod to close the gap that can occur between the column shaft and the Capital. Snug-Fit capitals do not require pilot holes.




Non-Tapered Tuscan Capitals

| Column Size | Width | Height | Inside Diameter | Diagonal |
|----------------|----------|--------|--------------------|----------|
| 8" | 9 1/8" | 2 1/2" | 7 11/16" | 13" |
| 10" | 12 1/4" | 3 1/8" | 9 7/8" | 17 5/16" |
| 12" | 14" | 3 1/2" | 11 3/4" | 20" |
| 14" | 16 3/4" | 3 1/2" | 14 1/8" | 23 3/4" |
| 16" | 19 1/16" | 5 1/8" | 16 1/4" | 27" |



Tapered Tuscan Capitals

| • | | | • | | |
|----------------|----------|--------|--------------------|----------|--|
| Column Size | Width | Height | Inside Diameter | Diagonal | |
| Polyurethar | ne | | | | |
| 6" | 8" | 2 1/4" | 5 1/4" | 11" | |
| 8" | 9 1/8" | 2 1/2" | 6 7/16" | 13" | |
| 10" | 12 1/4" | 3 1/2" | 8 3/16" | 17-5/16" | |
| 12" | 14" | 4 1/2" | 9 3/4" | 20" | |
| 14" | 16 3/4" | 4 1/2" | 12 1/8" | 23 3/4" | |
| 16" | 19 1/16" | 5 1/8" | 14" | 27" | |
| Composite | | | | | |
| 18" | 21 1/4" | 5 3/4" | 15 3/4" | 30" | |
| 20" | 24 3/8" | 5 5/8" | 16 3/4" | 34 1/2" | |
| 24" | 27 3/4" | 7 5/8" | 20 1/2" | 39 1/4" | |



- Column, Capital, Astragal and Base all in one box
- Seamless Column, except for Split-Fit*
- Column, Capital and Base all in one box
- ▲ Snug-Fit Capital

ROUND DECORATIVE CAPITALS

Decorative Capitals provide an opportunity to augment architectural integrity and beauty to your home. DSI Decorative Capitals are load-bearing and made from the same material as the column. This ensures a great looking column that is easy to maintain.

To use Decorative Capitals with our Round Smooth Non-Tapered Columns, select one size larger capital than the column size. Example: A 10" Non-Tapered Column requires a 12" Roman Ionic Capital.











Roman Corinthian Capitals

| Column Size | Width | Height | Outside Diameter (Plug) | Diagonal |
|----------------|---------|---------|-------------------------------|----------|
| 8" | 12 1/4" | 8 1/2" | 5" | 14 5/8" |
| 10" | 13 7/8" | 11 7/8" | 6 3/4" | 19 1/4" |
| 12" | 18 1/8" | 14 3/4" | 8 1/4" | 23 1/2" |
| 14" | 22 1/8" | 17 1/2" | 10" | 28 5/8" |
| 16" | 23 1/4" | 17 1/4" | 12 1/4" | 29" |
| 18" | 27 1/2" | 20 1/4" | 12 7/8" | 37 1/2" |

Roman Ionic Capitals

| - | Column Size | Width | Height | Outside Diameter (Plug) | Diagonal |
|---|----------------|---------|--------|-------------------------------|----------|
| | 8" | 7 3/4" | 3 1/8" | 5" | 11" |
| | 10" | 10 1/2" | 4 1/4" | 6 1/2" | 15" |
| | 12" | 12 3/8" | 5" | 8 1/4" | 17 1/4" |
| | 14" | 16 3/8" | 5 1/2" | 9 1/2" | 21 1/2" |
| | 16" | 16 3/8" | 6" | 12 1/4" | 23" |
| | 18" | 19 1/8" | 7 1/2" | 13 7/8" | 27 1/2" |

Scamozzi Capitals

| Column Size | Width | Height | Outside Diameter (Plug) | Diagonal |
|----------------|---------|--------|-------------------------------|----------|
| 8" | 9 5/8" | 3 1/8" | 4 7/8" | 12 7/8" |
| 10" | 13 7/8" | 3 3/4" | 6 3/8" | 18 1/2" |
| 12" | 15 1/2" | 4 7/8" | 77/8" | 19 7/8" |
| 14" | 18 3/8" | 5 1/2" | 10 1/4" | 24 1/4" |
| 16" | 20" | 6" | 12" | 26 1/2" |
| 18" | 24" | 7 1/8" | 13 7/8" | 31" |

Temple of the Winds Capitals

| Column Size | Width | Height | Outside Diameter (Plug) | Diagonal |
|----------------|---------|---------|-------------------------------|----------|
| 8" | 10 1/8" | 7 3/8" | 5" | 14 1/8" |
| 10" | 13 1/2" | 10 1/4" | 6 3/4" | 19 1/2" |
| 12" | 16 1/4" | 13" | 8 5/8" | 23" |
| 14" | 20 5/8" | 14 1/2" | 9 5/8" | 29 5/8" |
| 16" | 22 5/8" | 16" | 9 1/2" | 31 5/8" |
| 18" | 26" | 18" | 14" | 38" |

- Key: Mill Finish Caulk-N-Walk* Pre-Finished Plumb Perfect* (kit included) Plumb Perfect* (kit included) Split-Fit* Pilaster
 - Column, Capital, Astragal and Base all in one box
 - Seamless Column, except for Split-Fit*
- Column, Capital and Base all in one box
- ▲ Snug-Fit Capital

ROUND BASES

Standard Doric Bases and optional Attic Bases are made from the same material as our column shafts assuring maximum durability. This material provides superior performance withstanding punishment from snow shovels, weed eaters, pressure washers, and general wear and tear.



Doric Bases*

| - | Column Size | Width | Height | Inside Diameter | Diagonal |
|---|----------------|---------|---------|--------------------|-----------|
| | 6" | 8" | 3" | 6 1/4" | 11 1/4" |
| | 8" | 10" | 4 1/8" | 7 11/16" | 14" |
| | 10" | 13 1/8" | 5 5/8" | 9 7/8" | 18 15/16" |
| | 12" | 15 3/8" | 6 5/16" | 11 3/4" | 21 3/4" |
| | 14" | 18 5/8" | 7 1/4" | 14 1/8" | 26 5/16" |
| | 16" | 21 1/4" | 8 1/8" | 16 1/4" | 30 1/16" |
| | 18" | 24" | 9 1/4" | 18" | 33 7/8" |
| | 20" | 26 1/2" | 11" | 20 1/8" | 37 5/8" |
| | 24" | 32 1/4" | 13 1/2" | 24" | 45 5/8" |



Knock-Out Doric Bases

| Column Size | Width | Height | Inside Diameter | Diagonal |
|----------------|---------|---------|--------------------|-----------|
| 6" | 8" | 3" | 6 1/4" | 11 1/4" |
| 8" | 10" | 4 1/8" | 7 11/16" | 14" |
| 10" | 13 1/8" | 5 5/8" | 9 7/8" | 18 15/16" |
| 12" | 15 3/8" | 6 5/16" | 11 3/4" | 21 3/4" |



Attic Bases

| - | Column Size | Width | Height | Inside Diameter | Diagonal |
|---|----------------|---------|---------|--------------------|----------|
| | 8" | 10 3/8" | 4 5/8" | 7 3/4" | 14 5/8" |
| | 10" | 13" | 5 5/8" | 9 7/8" | 18 3/8" |
| | 12" | 15 7/8" | 6 3/8" | 12" | 22 1/2" |
| | 14" | 19 1/4" | 8 3/8" | 14 3/8" | 27 1/4" |
| | 16" | 21" | 8 3/4" | 16" | 29 1/2" |
| | 18" | 24" | 10 1/4" | 17 3/4" | 34" |

Key: Mill Finish Caulk-N-Walk* Pre-Finished Plumb Perfect*(kit included) Plumb Perfect*(kit sold separately) Split-Fit* Pilaster

- Column, Capital, Astragal and Base all in one box
- Seamless Column, except for Split-Fit*
- Column, Capital and Base all in one box
- ▲ Snug-Fit Capital
- *Use Doric Base as the Capital for Non-Tapered 18", 20", and 24" Columns.



COMPOSITE SIAN COLUMNS




The Craftsman architectural style is pure Americana. We offer a complete line of columns to create a clean, crisp look for your Craftsman style project.

Available in both smooth and recessed panel styles, these load-bearing columns will blend seamlessly with your home's craftsman style.

The columns ship complete with two pieces of Craftsman Moulding to finish off an aesthetic cap and base look.


And, of course they come with our Limited Lifetime Warranty.



- Outside Dimension Top
- B Outside Dimension Bottom

Craftsman Smooth Columns

| Column Size | Outside Dimension Top (A) | Outside Dimension Bottom (B) |
|--------------------|------------------------------|---------------------------------|
| 8" x 5" x 5' | 5 1/4" | 8 1/2" |
| 9" x 5" x 6' | 5 1/4" | 9 1/4" |
| 10" x 5 1/2" x 66" | 5 1/2" | 10 1/8" |
| 11" x 8" x 5' | 8 1/2" | 11 1/4" |
| 12" x 8" x 6' | 8 1/2" | 12" |
| 12" x 9" x 8' | 9" | 11 7/8" |
| 16" x 9" x 58" | 9" | 15 1/4" |
| 16" x 9" x 64" | 9" | 16" |
| 16" x 13" x 60" | 13" | 16" |



Craftsman Recessed Columns

| Column Size | Outside Dimension Top (A) | Outside Dimension Bottom (C) | Design from Top (T) and from Bottom (B) |
|--------------------|------------------------------|---------------------------------|--|
| 8" x 5" x 5' | 5 1/4" | 8 1/2" | T=5 1/2" B=8 1/4" |
| 9" x 5" x 6' | 5 1/4" | 9 1/4" | T=7" B=10 3/4" |
| 10" x 5 1/2" x 66" | 5 1/2" | 10" | T=5 1/2" B=7" |
| 11" x 8" x 5' | 8 1/2" | 11 1/4" | T=5 1/2" B=8 1/4" |
| 12" x 8" x 6' | 8 1/2" | 12" | T=7" B=10 1/2" |
| 12" x 9" x 8' | 9" | 11 7/8" | T=10" B=16 1/2" |
| 16" x 9" x 58" | 9" | 15 1/4" | T=4 3/4" B=5 1/2" |
| 16" x 9" x 64" | 9" | 16" | T=4 3/4" B=11 3/4" |

Two pieces of Craftsman Moulding are included with each Craftsman Column. For more information visit *dsicolumns.com*.



TECHNICAL DATA AND PACKAGING

Load-Bearing Specifications

Load-Bearing specifications are listed on the DSI Website, *dsicolumns.com*.

Load limits are specific to a product's diameter or profile and predicated on 100% coverage at the top and bottom of a column.

Fire Rated Product

DSI has fire rated products available upon request. Our fire rated products have received Class A Certification through testing for flame spread and smoke developed standards set forth in the ASTM E84 Test.



Packaging

Nothing increases the cost of a project more than delays. Delays can occur when the column arrives damaged, or the capital and base sets are separated from the order.

DSI takes great care in packaging our Columns. Most sizes are packaged with the complete shaft, capital, and base in one box. The column shaft is "cradled" in the box with foam rings to resist damage.





INSTALLATION KITS AND HARDWARE

Optional Bracket Kits

Optional bracket kits contain 6 round brackets or 4 square brackets and screws.

The Round and Square Bracket Kits assist in the prevention of column kick-out.





Optional Split-Fit® Reassembly Kits

Optional Split-Fit[®] Reassembly kits include Adhesive Cartridge with Adapter and (1) Roll of 3M/Scotch Bonding Tape.



Round Smooth Column Adapter Kits


PolyRail[®] Vinyl Railing

Available as a 4 pack (2 top and 2 bottom adapters)

Adapters shown are a close approximation, the length may change based on the model of railing

Westbury® Aluminum Railing


Available as a 4 pack (2 top and 2 bottom adapters) and 6 pack (2 top, 2 mid, and 2 bottom adapters)



8", 10"



Level Rail 8", 10"



Stair Rail 8", 10"



Stair Rail 8", 10"







diggerspecialties.com

Stay Connected













